

PATENT
Attorney Docket No. PC10770B US

Claim Listing:

1-9. (Cancelled)

10. (Currently Amended) A pharmaceutical composition for treating or preventing a disorder or condition selected from autoimmune diseases, rheumatoid arthritis, type I diabetes (recent onset), lupus, inflammatory bowel disease, optic neuritis, psoriasis, multiple sclerosis, polymyalgia rheumatica, uveitis, and vasculitis, acute and chronic inflammatory conditions osteoarthritis, adult Respiratory Distress Syndrome, Respiratory Distress Syndrome of infancy, ischemia reperfusion injury, glomerulonephritis, and chronic obstructive pulmonary disease (COPD) allergic conditions, asthma and atopic dermatitis, inflammation associated with infection, viral inflammation, influenza, hepatitis and Guillian-Barre, chronic bronchitis, chronic or acute tissue, cell, and solid organ transplant rejection, xeno-transplantation, atherosclerosis, restenosis, HIV infectivity (co-receptor usage), and granulomatous diseases, sarcoidosis, leprosy and tuberculosis, and sequelae associated with cancers, multiple myeloma; limiting the production of cytokines and/or TNF at inflammatory sites, as a consequence of decreasing cell infiltration; for treating diseases and/or congestive heart failure, linked to TNF and IL-1 and for treating pulmonary emphysema or dyspnea associated therewith, emphysema; HIV-1, HIV-2, HIV-3; cytomegalovirus (CMV), adenoviruses, Herpes viruses (*Herpes zoster* and *Herpes simplex*), for treating sequelae associated with infection where such infection induces production of detrimental inflammatory cytokines and/or TNF, fungal meningitis, joint tissue damage, hyperplasia, pannus formation and bone resorption, psoriatic arthritis, hepatic failure, bacterial meningitis, Kawasaki syndrome, myocardial infarction, acute liver failure, lyme disease, septic shock, cancer, trauma, and malaria, in a mammal, comprising an amount of a compound according to claim 20-~~or~~ 24, or a pharmaceutically acceptable salt thereof, that is effective in treating or preventing such disorder or condition and a pharmaceutically acceptable carrier.

11. (Currently Amended) A pharmaceutical composition for treating or preventing a disorder or condition that can be treated or prevented by inhibiting chemokine binding to the receptor CCR1

USSN 10/660,052

Page 4 of 29


Amendment and Response to OA dated June 25, 2004

PATENT
Attorney Docket No. PC10770B US

in a mammal, comprising an amount of a compound according to claim 20-~~or 21~~, or a pharmaceutically acceptable salt thereof, effective in treating or preventing such disorder or condition and a pharmaceutically acceptable carrier.

12-19. (Cancelled)

20. (Currently Amended) A compound of the formula



or the pharmaceutically acceptable salt thereof; wherein

R^1 is independently selected from hydrogen, halo, cyano, nitro, trifluoromethyl, trifluoromethoxy, (C_1-C_6) alkyl, hydroxy or (C_1-C_6) alkylcarbonyloxy;

R² and R³ are each independently selected from (C₁-C₆)alkyl, (C₃-C₈)cycloalkyl, amino(C₁-C₆)alkyl, amino(C₃-C₈)cycloalkyl, (C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₁-C₆)alkylamino(C₃-C₈)cycloalkyl, hydroxy(C₁-C₆)alkyl, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkyl, ureido(C₁-C₆)alkyl, (C₁-C₆)alkyureido(C₁-C₆)alkyl, (C₂-C₉)heteroaryl(C₁-C₆)alkyl or (C₂-C₉)heterocycloalkyl(C₁-C₆)alkyl;

R^4 is $(R^5)_f(R^6)_g(C_6-C_{10})$ aryl or $(R^5)_f(R^7)_h(C_2-C_9)$ heteroaryl wherein f, g and h are independently 1 or 2;

R⁵ is (C₂-C₉)heterocycloalkylcarbonyl, (C₂-C₉)heteroarylcarbonyl, (C₂-C₉)heteroaryl(C₁-C₆)alkylaminocarbonyl, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylaminocarbonyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylaminocarbonyl, ureido(C₁-C₆)alkylaminocarbonyl, (C₁-C₆)alkylureido(C₁-C₆)alkylaminocarbonyl, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylaminocarbonyl, aminosulfonyl(C₁-C₆)alkylaminocarbonyl, (C₁-C₆)alkylaminosulfonyl(C₁-C₆)alkylaminocarbonyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylcarbonylamino, cyanoguanidino(C₁-C₆)alkylcarbonylamino, (C₁-C₆)alkylcyanoguanidino(C₁-C₆)alkylcarbonylamino, ((C₁-C₆)alkyl)₂cyanoguanidino(C₁-C₆)alkylcarbonylamino, aminocarbonyl(C₁-C₆)alkylcarbonylamino, (C₂-C₉)heteroaryl(C₁-C₆)alkylcarbonylamino,

PATENT
Attorney Docket No. PC10770B US

C₆)alkylcarbonylamino, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylcarbonylamino, aminosulfonyl(C₁-C₆)alkylcarbonylamino, amino(C₁-C₆)alkylureido, (C₁-C₆)alkylamino(C₁-C₆)alkylureido, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylureido, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylureido, (C₂-C₉)heteroaryl(C₁-C₆)alkylureido, aminosulfonyl(C₁-C₆)alkylureido, aminocarbonyl(C₁-C₆)alkylureido, (C₁-C₆)alkylaminocarbonyl(C₁-C₆)alkylureido, ((C₁-C₆)alkyl)₂aminocarbonyl(C₁-C₆)alkylureido, acetylamino(C₁-C₆)alkylureido, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylureido, amino(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkylamino(C₁-C₆)alkylsulfonylamino, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylsulfonylamino, acetylamino(C₁-C₆)alkylsulfonylamino, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylsulfonylamino, ureido(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkylureido(C₁-C₆)alkylsulfonylamino, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylsulfonylamino, cyanoguanidino(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkylcyanoguanidino(C₁-C₆)alkylsulfonylamino, ((C₁-C₆)alkyl)₂cyanoguanidino(C₁-C₆)alkylsulfonylamino, aminocarbonyl(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylsulfonylamino, aminosulfonylamino, (C₁-C₆)alkylaminosulfonylamino, ((C₁-C₆)alkyl)₂aminosulfonylamino, aminocarbonyl(C₁-C₆)alkylamino(C₁-C₆)alkylsulfonylamino, (C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkylsulfonylamino, (C₂-C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylsulfonylamino, cyanoguanidino, (C₁-C₆)alkylcyanoguanidino, ((C₁-C₆)alkyl)₂cyanoguanidino, (C₂-C₉)heterocycloalkylcyanoguanidino, (C₂-C₉)heteroarylcyanoguanidino, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylcyanoguanidino, (C₂-C₉)heteroaryl(C₁-C₆)alkylcyanoguanidino, amino(C₁-C₆)alkylcyanoguanidino, (C₁-C₆)alkylamino(C₁-C₆)alkylcyanoguanidino, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylcyanoguanidino, aminocarbonyl(C₁-C₆)alkylcyanoguanidino, (C₁-C₆)alkylaminocarbonyl(C₁-C₆)alkylcyanoguanidino, ((C₁-C₆)alkyl)₂aminocarbonyl(C₁-C₆)alkylcyanoguanidino, aminocarbonyl(C₁-C₆)alkylamino, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylamino, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylamino, aminosulfonyl(C₁-C₆)alkylamino, (C₂-C₉)heteroaryl(C₁-C₆)alkylamino, acetylamino(C₁-C₆)alkylamino, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylamino, cyano(C₁-C₆)alkylaminoalkyl, aminocarbonyl(C₁-C₆)alkylamino(C₁-C₆)alkyl, acetylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl,

USSN 10/660,052

Page 6 of 29

Amendment and Response to OA dated June 25, 2004

PATENT
Attorney Docket No. PC10770B US

C₆)alkyl, (C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₂-C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl, cyanoguanidino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₁-C₆)alkylcyanoguanidino(C₁-C₆)alkylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂cyanoguanidino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl, ureido(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₁-C₆)alkylureido(C₁-C₆)alkylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylamino(C₁-C₆)alkyl, aminocarbonyloxy(C₁-C₆)alkylamino(C₁-C₆)alkyl, acetylamino(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, aminocarbonyl(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylaminocarbonyl(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂aminocarbonyl(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, aminosulfonyl(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkyl, cyanoguanidino(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, cyano(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, wherein R⁵ is amino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylamino(C₁-C₆)alkylaminocarbonyl amino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, aminocarbonyl(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylcarbonylamino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkoxycarbonyl amino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyloxycarbonyl amino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₂-C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylaminocarbonyl amino(C₁-C₆)alkyl, (C₂-C₉)heteroaryl(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, ureido(C₁-C₆)alkylureido(C₁-C₆)alkyl, (C₁-C₆)alkylureido(C₁-C₆)alkylureido(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylureido(C₁-C₆)alkyl, ~~or~~ cyanoguanidino(C₁-C₆)alkylureido(C₁-C₆)alkyl, amino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylamino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, acetylamino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, ureido(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylureido(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, cyanoguanidino(C₁-

USSN 10/660,052

Page 7 of 29

Amendment and Response to OA dated June 25, 2004

PATENT
Attorney Docket No. PC10770B US

C_6 alkylsulfonylamino(C_1 - C_6)alkyl, (C_1 - C_6)alkyl(cyanoguanidino)(C_1 - C_6)alkylsulfonylamino(C_1 - C_6)alkyl, ((C_1 - C_6)alkyl)₂(cyanoguanidino)(C_1 - C_6)alkylsulfonylamino(C_1 - C_6)alkyl, aminocarbonyl(C_1 - C_6)alkylsulfonylamino(C_1 - C_6)alkyl, (C_1 - C_6)alkoxycarbonylamino(C_1 - C_6)alkylsulfonylamino(C_1 - C_6)alkyl, (C_2 - C_9)heterocycloalkyloxycarbonylamino(C_1 - C_6)alkylsulfonylamino(C_1 - C_6)alkyl, (C_2 - C_9)heteroaryloxycarbonylamino(C_1 - C_6)alkylsulfonylamino(C_1 - C_6)alkyl, aminosulfonylamino(C_1 - C_6)alkyl, (C_1 - C_6)alkylaminosulfonylamino(C_1 - C_6)alkyl, ((C_1 - C_6)alkyl)₂aminosulfonylamino(C_1 - C_6)alkyl, cyanoguanidino(C_1 - C_6)alkyl, (C_1 - C_6)alkyl(cyanoguanidino)(C_1 - C_6)alkyl, ((C_1 - C_6)alkyl)₂(cyanoguanidino)(C_1 - C_6)alkyl, (C_2 - C_9)heterocycloalkyl(cyanoguanidino)(C_1 - C_6)alkyl, (C_2 - C_9)heteroaryl(cyanoguanidino)(C_1 - C_6)alkyl, (C_2 - C_9)heterocycloalkyl(C_1 - C_6)alkyl(cyanoguanidino)(C_1 - C_6)alkyl, (C_2 - C_9)heteroaryl(C_1 - C_6)alkyl(cyanoguanidino)(C_1 - C_6)alkyl, amino(C_1 - C_6)alkyl(cyanoguanidino)(C_1 - C_6)alkyl, (C_1 - C_6)alkylamino(C_1 - C_6)alkyl(cyanoguanidino)(C_1 - C_6)alkyl, ((C_1 - C_6)alkyl)₂amino(C_1 - C_6)alkyl(cyanoguanidino)(C_1 - C_6)alkyl, aminocarbonyl(C_1 - C_6)alkyl(cyanoguanidino)(C_1 - C_6)alkyl, (C_1 - C_6)alkylaminocarbonyl(C_1 - C_6)alkyl(cyanoguanidino)(C_1 - C_6)alkyl, ((C_1 - C_6)alkyl)₂aminocarbonyl(C_1 - C_6)alkyl(cyanoguanidino)(C_1 - C_6)alkyl, wherein R^5 is (C_2 - C_9)heterocycloalkylsulfonyl, amino(C_1 - C_6)alkylaminosulfonyl, (C_1 - C_6)alkylamino(C_1 - C_6)alkylaminosulfonyl, ((C_1 - C_6)alkyl)₂amino(C_1 - C_6)alkylaminosulfonyl, (C_2 - C_9)heteroarylaminosulfonyl, ureido(C_1 - C_6)alkylaminosulfonyl, (C_1 - C_6)alkylureido(C_1 - C_6)alkylaminosulfonyl, ((C_1 - C_6)alkyl)₂ureido(C_1 - C_6)alkylaminosulfonyl, (C_1 - C_6)alkylsulfonylamino(C_1 - C_6)alkylaminosulfonyl, (C_1 - C_6)alkoxycarbonylamino(C_1 - C_6)alkylaminosulfonyl, (C_2 - C_9)heterocycloalkyloxycarbonylamino(C_1 - C_6)alkylaminosulfonyl, (C_2 - C_9)heteroaryloxycarbonylamino(C_1 - C_6)alkylaminosulfonyl, aminocarbonyl(C_1 - C_6)alkylaminosulfonyl, cyanoguanidino(C_1 - C_6)alkylaminosulfonyl, (C_2 - C_9)heteroaryl(C_1 - C_6)alkylaminosulfonyl, (C_2 - C_9)heterocycloalkylaminosulfonyl, halo(C_1 - C_6)alkylaminocarbonyl, hydroxy(C_1 - C_6)alkylureido, halo(C_1 - C_6)alkylsulfonylamino, (C_1 - C_6)alkoxycarbonyl(C_1 - C_6)alkylamino(C_1 - C_6)alkyl, hydroxy(C_1 - C_6)alkylaminocarbonylamino(C_1 - C_6)alkyl, halo(C_1 - C_6)alkylsulfonylamino(C_1 - C_6)alkyl, aminosulfonyl, (C_1 - C_6)alkylaminosulfonyl, ((C_1 - C_6)alkyl)₂aminosulfonyl, hydroxy(C_1 - C_6)alkylaminosulfonyl, or (C_1 - C_6)alkoxy(C_1 - C_6)alkylaminosulfonyl;

USSN 10/660,052

Page 8 of 29

Amendment and Response to OA dated June 25, 2004

PATENT
Attorney Docket No. PC10770B US

R^6 and R^7 are each independently halo, halo(C_1 - C_6)alkyl, (C_1 - C_6)alkyl, (C_1 - C_6)alkoxy, trifluoromethyl, trifluoromethoxy, hydroxy, aminocarbonyl, cyano, ureido, (C_1 - C_6)alkylsulfonylamino, (C_1 - C_6)alkoxycarbonylamino or glycinamino;

a is 1, 2, 3, 4 or 5;

b is 0, 1, 2, 3 or 4;

c is 1;

d is 1;

e is 1;


j is 1, 2, 3, or 4;

Y is CH_2 ;

X is $C(O)$; and

Z is oxygen.

21. (Withdrawn) A compound of the formula



or the pharmaceutically acceptable salt thereof; wherein

R^1 is hydrogen, halo, cyano, nitro, trifluoromethyl, trifluoromethoxy, (C_1 - C_6)alkyl, hydroxy or (C_1 - C_6)alkylcarbonyloxy;

R^2 and R^3 are each independently selected from (C_1 - C_6)alkyl, (C_3 - C_8)cycloalkyl, amino(C_1 - C_6)alkyl, amino(C_3 - C_8)cycloalkyl, (C_1 - C_6)alkylamino(C_1 - C_6)alkyl, (C_1 - C_6)alkylamino(C_3 - C_8)cycloalkyl, hydroxy(C_1 - C_6)alkyl, (C_1 - C_6)alkoxycarbonylamino(C_1 - C_6)alkyl, ureido(C_1 - C_6)alkyl, (C_1 - C_6)alkylureido(C_1 - C_6)alkyl, (C_2 - C_9)heteroaryl(C_1 - C_6)alkyl or (C_2 - C_9)heterocycloalkyl(C_1 - C_6)alkyl;

R^4 is $(R^5)_f(R^6)_g(C_6-C_{10})$ aryl or $(R^5)_f(R^7)_h(C_2-C_9)$ heteroaryl wherein f, g and h are independently 1 or 2;

R^5 is (C_2 - C_9)heterocycloalkylcarbonyl, (C_2 - C_9)heteroarylcarbonyl, (C_2 - C_9)heteroaryl(C_1 -

PATENT
Attorney Docket No. PC10770B US

C₆)alkylaminocarbonyl, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylaminocarbonyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylaminocarbonyl, ureido(C₁-C₆)alkylaminocarbonyl, (C₁-C₆)alkylureido(C₁-C₆)alkylaminocarbonyl, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylaminocarbonyl, aminosulfonyl(C₁-C₆)alkylaminocarbonyl, (C₁-C₆)alkylaminosulfonyl(C₁-C₆)alkylaminocarbonyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylcarbonylamino, cyanoguanidino(C₁-C₆)alkylcarbonylamino, (C₁-C₆)alkylcyanoguanidino(C₁-C₆)alkylcarbonylamino, ((C₁-C₆)alkyl)₂cyanoguanidino(C₁-C₆)alkylcarbonylamino, aminocarbonyl(C₁-C₆)alkylcarbonylamino, (C₂-C₉)heteroaryl(C₁-C₆)alkylcarbonylamino, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylcarbonylamino, aminosulfonyl(C₁-C₆)alkylcarbonylamino, amino(C₁-C₆)alkylureido, (C₁-C₆)alkylamino(C₁-C₆)alkylureido, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylureido, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylureido, (C₂-C₉)heteroaryl(C₁-C₆)alkylureido, aminosulfonyl(C₁-C₆)alkylureido, aminocarbonyl(C₁-C₆)alkylureido, (C₁-C₆)alkylaminocarbonyl(C₁-C₆)alkylureido, ((C₁-C₆)alkyl)₂aminocarbonyl(C₁-C₆)alkylureido, acetylamino(C₁-C₆)alkylureido, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylureido, amino(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkylamino(C₁-C₆)alkylsulfonylamino, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylsulfonylamino, acetylamino(C₁-C₆)alkylsulfonylamino, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylsulfonylamino, ureido(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkylureido(C₁-C₆)alkylsulfonylamino, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylsulfonylamino, cyanoguanidino(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkylcyanoguanidino(C₁-C₆)alkylsulfonylamino, ((C₁-C₆)alkyl)₂cyanoguanidino(C₁-C₆)alkylsulfonylamino, aminocarbonyl(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylsulfonylamino, aminosulfonylamino, (C₁-C₆)alkylaminosulfonylamino, ((C₁-C₆)alkyl)₂aminosulfonylamino, aminocarbonyl(C₁-C₆)alkylamino(C₁-C₆)alkylsulfonylamino, (C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkylsulfonylamino, (C₂-C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylsulfonylamino, cyanoguanidino, (C₁-C₆)alkylcyanoguanidino, ((C₁-C₆)alkyl)₂cyanoguanidino, (C₂-C₉)heterocycloalkylcyanoguanidino, (C₂-C₉)heteroarylcyanoguanidino, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylcyanoguanidino, (C₂-C₉)heteroaryl(C₁-C₆)alkylcyanoguanidino, amino(C₁-C₆)alkylcyanoguanidino, (C₁-C₆)alkylamino(C₁-C₆)alkylcyanoguanidino, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylcyanoguanidino, aminocarbonyl(C₁-C₆)alkylcyanoguanidino, (C₁-

USSN 10/660,052

Page 10 of 29

Amendment and Response to OA dated June 25, 2004

PATENT
Attorney Docket No. PC10770B US

C₆)alkylaminocarbonyl(C₁-C₆)alkylcyanoguanidino, ((C₁-C₆)alkyl)₂aminocarbonyl(C₁-C₆)alkylcyanoguanidino, aminocarbonyl(C₁-C₆)alkylamino, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylamino, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylamino, aminosulfonyl(C₁-C₆)alkylamino, (C₂-C₉)heteroaryl(C₁-C₆)alkylamino, acetylamino(C₁-C₆)alkylamino, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylamino, cyano(C₁-C₆)alkylaminoalkyl, aminocarbonyl(C₁-C₆)alkylamino(C₁-C₆)alkyl, acetylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₂-C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl, cyanoguanidino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₁-C₆)alkylcyanoguanidino(C₁-C₆)alkylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂cyanoguanidino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl, ureido(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₁-C₆)alkylureido(C₁-C₆)alkylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylamino(C₁-C₆)alkyl, aminocarbonyloxy(C₁-C₆)alkylamino(C₁-C₆)alkyl, acetylamino(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, aminocarbonyl(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylaminocarbonyl(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂aminocarbonyl(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, aminosulfonyl(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkyl, cyanoguanidino(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, cyano(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, wherein R⁵ is amino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylamino(C₁-C₆)alkylaminocarbonyl amino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, aminocarbonyl(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylcarbonylamino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkoxycarbonyl amino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyloxycarbonyl amino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₂-C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylaminocarbonyl amino(C₁-C₆)alkyl, (C₂-C₉)heteroaryl(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, ureido(C₁-C₆)alkylureido(C₁-C₆)alkyl, (C₁-C₆)alkylureido(C₁-C₆)alkylureido(C₁-C₆)alkyl, ((C₁-

US\$N 10/660,052

Page 11 of 29

Amendment and Response to OA dated June 25, 2004

PATENT
Attorney Docket No. PC10770B US

C₆)alkyl)₂ureido(C₁-C₆)alkylureido(C₁-C₆)alkyl or cyanoguanidino(C₁-C₆)alkylureido(C₁-C₆)alkyl, amino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylamino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, acetylamino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, ureido(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylureido(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, cyanoguanidino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂(cyanoguanidino)(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, aminocarbonyl(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₂-C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, aminosulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylaminosulfonylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂aminosulfonylamino(C₁-C₆)alkyl, cyanoguanidino(C₁-C₆)alkyl, (C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂(cyanoguanidino)(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyl(cyanoguanidino)(C₁-C₆)alkyl, (C₂-C₉)heteroaryl(cyanoguanidino)(C₁-C₆)alkyl, (C₂-C₉)heteroaryl(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, amino(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, (C₁-C₆)alkylamino(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, aminocarbonyl(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, (C₁-C₆)alkylaminocarbonyl(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂aminocarbonyl(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, wherein R⁵ is (C₂-C₉)heterocycloalkylsulfonyl, amino(C₁-C₆)alkylaminosulfonyl, (C₁-C₆)alkylamino(C₁-C₆)alkylaminosulfonyl, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylaminosulfonyl, (C₂-C₉)heteroarylaminosulfonyl, ureido(C₁-C₆)alkylaminosulfonyl, (C₁-C₆)alkylureido(C₁-C₆)alkylaminosulfonyl, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylaminosulfonyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylaminosulfonyl, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylaminosulfonyl, (C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkylaminosulfonyl, (C₂-C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylaminosulfonyl, aminocarbonyl(C₁-

PATENT
Attorney Docket No. PC10770B US

C₆)alkylaminosulfonyl, cyanoguanidino(C₁-C₆)alkylaminosulfonyl, (C₂-C₉)heteroaryl(C₁-C₆)alkylaminosulfonyl, (C₂-C₉)heterocycloalkylaminosulfonyl, halo(C₁-C₆)alkylaminocarbonyl, hydroxy(C₁-C₆)alkylureido, halo(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkoxycarbonyl(C₁-C₆)alkylamino(C₁-C₆)alkyl, hydroxy(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, halo(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, aminosulfonyl, (C₁-C₆)alkylaminosulfonyl, ((C₁-C₆)alkyl)₂aminosulfonyl, hydroxy(C₁-C₆)alkylaminosulfonyl, or (C₁-C₆)alkoxy(C₁-C₆)alkylaminosulfonyl;

R⁶ and R⁷ are each independently halo, halo(C₁-C₆)alkyl, (C₁-C₆)alkyl, (C₁-C₆)alkoxy, trifluoromethyl, trifluoromethoxy, hydroxy, aminocarbonyl, cyano, ureido, (C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkoxycarbonylamino or glycinamino;

a is 1, 2, 3, 4 or 5;

b is 0, 1, 2, 3 or 4;

c is 1;

d is 1;

e is 1;

j is 1, 2, 3, or 4;

Y is CH₂;

X is C(O); and

Z is NR⁹ wherein R⁹ is hydrogen or (C₁-C₆)alkyl.

22. (Currently Amended) The compound of claim 20 or 21 wherein R⁵ is (C₂-C₉)heterocycloalkylcarbonyl, (C₂-C₉)heteroarylcarbonyl, (C₂-C₉)heteroaryl(C₁-C₆)alkylaminocarbonyl, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylaminocarbonyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylaminocarbonyl, ureido(C₁-C₆)alkylaminocarbonyl, (C₁-C₆)alkylureido(C₁-C₆)alkylaminocarbonyl, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylaminocarbonyl, aminosulfonyl(C₁-C₆)alkylaminocarbonyl or (C₁-C₆)alkylaminosulfonyl(C₁-C₆)alkylaminocarbonyl.

23. (Currently Amended) The compound of claim 20 or 21 wherein R⁵ is (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylcarbonylamino, cyanoguanidino(C₁-C₆)alkylcarbonylamino, (C₁-

PATENT
Attorney Docket No. PC10770B US

C₆)alkylcyanoguanidino(C₁-C₆)alkylcarbonylamino, ((C₁-C₆)alkyl)₂cyanoguanidino(C₁-C₆)alkylcarbonylamino, aminocarbonyl(C₁-C₆)alkylcarbonylamino, (C₂-C₉)heteroaryl(C₁-C₆)alkylcarbonylamino, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylcarbonylamino, or aminosulfonyl(C₁-C₆)alkylcarbonylamino.

24. (Currently Amended) The compound of claim 20 or 21 wherein R⁵ is amino(C₁-C₆)alkylureido, (C₁-C₆)alkylamino(C₁-C₆)alkylureido, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylureido, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylureido, (C₂-C₉)heteroaryl(C₁-C₆)alkylureido, aminosulfonyl(C₁-C₆)alkylureido, aminocarbonyl(C₁-C₆)alkylureido, (C₁-C₆)alkylaminocarbonyl(C₁-C₆)alkylureido, ((C₁-C₆)alkyl)₂aminocarbonyl(C₁-C₆)alkylureido, acetylamino(C₁-C₆)alkylureido, or (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylureido.

25. (Currently Amended) The compound of claim 20 or 21 wherein R⁵ is amino(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkylamino(C₁-C₆)alkylsulfonylamino, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylsulfonylamino, acetylamino(C₁-C₆)alkylsulfonylamino, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylsulfonylamino, ureido(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkylureido(C₁-C₆)alkylsulfonylamino, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylsulfonylamino, cyanoguanidino(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkylcyanoguanidino(C₁-C₆)alkylsulfonylamino, ((C₁-C₆)alkyl)₂cyanoguanidino(C₁-C₆)alkylsulfonylamino, aminocarbonyl(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylsulfonylamino, aminosulfonylamino, (C₁-C₆)alkylaminosulfonylamino, ((C₁-C₆)alkyl)₂aminosulfonylamino, aminocarbonyl(C₁-C₆)alkylamino(C₁-C₆)alkylsulfonylamino, (C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkylsulfonylamino or (C₂-C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylsulfonylamino.

26. (Currently Amended) The compound of claim 20 or 21 wherein R⁵ is cyanoguanidino, (C₁-C₆)alkylcyanoguanidino, ((C₁-C₆)alkyl)₂cyanoguanidino, (C₂-C₉)heterocycloalkylcyanoguanidino, (C₂-C₉)heteroarylcyanoguanidino, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylcyanoguanidino, (C₂-C₉)heteroaryl(C₁-C₆)alkylcyanoguanidino, amino(C₁-C₆)alkylcyanoguanidino, (C₁-

PATENT
Attorney Docket No. PC10770B US

C₆)alkylamino(C₁-C₆)alkylcyanoguanidino, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylcyanoguanidino, aminocarbonyl(C₁-C₆)alkylcyanoguanidino, (C₁-C₆)alkylaminocarbonyl(C₁-C₆)alkylcyanoguanidino or ((C₁-C₆)alkyl)₂aminocarbonyl(C₁-C₆)alkylcyanoguanidino, wherein R⁵ is aminocarbonyl(C₁-C₆)alkylamino, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylamino, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylamino, aminosulfonyl(C₁-C₆)alkylamino, (C₂-C₉)heteroaryl(C₁-C₆)alkylamino, acetylamino(C₁-C₆)alkylamino or (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylamino.

27. (Currently Amended) The compound of claim 20 or 21 wherein R⁵ is cyano(C₁-C₆)alkylaminoalkyl or aminocarbonyl(C₁-C₆)alkylamino(C₁-C₆)alkyl.

28. (Currently Amended) The compound of claim 20 or 21 wherein R⁵ is acetylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₂-C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl, cyanoguanidino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₁-C₆)alkylcyanoguanidino(C₁-C₆)alkylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂cyanoguanidino(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylamino(C₁-C₆)alkyl, ureido(C₁-C₆)alkylamino(C₁-C₆)alkyl, (C₁-C₆)alkylureido(C₁-C₆)alkylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylamino(C₁-C₆)alkyl or aminocarbonyloxy(C₁-C₆)alkylamino(C₁-C₆)alkyl.

29. (Currently Amended) The compound of claim 20 or 21 wherein R⁵ is acetylamino(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, aminocarbonyl(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylaminocarbonyl(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂aminocarbonyl(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, aminosulfonyl(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkyl, cyanoguanidino(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl or cyano(C₁-C₆)alkylcarbonylamino(C₁-C₆)alkyl.

US 2004/0166052

Page 15 of 29

Amendment and Response to OA dated June 25, 2004

30. (Currently Amended) The compound of claim 20 or 21 wherein R⁵ is amino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylamino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, aminocarbonyl(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylcarbonylamino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkoxycarbonyl amino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyloxycarbonyl amino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₂-C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, (C₂-C₉)heteroaryl(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, ureido(C₁-C₆)alkylureido(C₁-C₆)alkyl, (C₁-C₆)alkylureido(C₁-C₆)alkylureido(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylureido(C₁-C₆)alkyl or cyanoguanidino(C₁-C₆)alkylureido(C₁-C₆)alkyl.

31. (Currently Amended) The compound of claim 20 or 21 wherein R⁵ is amino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylamino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, acetylamino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (acetyl)((C₁-C₆)alkyl)amino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, ureido(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylureido(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, cyanoguanidino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂(cyanoguanidino)(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, aminocarbonyl(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, (C₂-C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, aminosulfonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylaminosulfonylamino(C₁-C₆)alkyl or ((C₁-C₆)alkyl)₂aminosulfonylamino(C₁-C₆)alkyl.

32. (Currently Amended) The compound of claim 20 or 21 wherein R⁵ is cyanoguanidino(C₁-C₆)alkyl, (C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂(cyanoguanidino)(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyl(cyanoguanidino)(C₁-C₆)alkyl, (C₂-C₉)heteroaryl(cyanoguanidino)(C₁-C₆)alkyl, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, (C₂-C₉)heteroaryl(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, amino(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, (C₁-C₆)alkylamino(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, aminocarbonyl(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl, (C₁-C₆)alkylaminocarbonyl(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl or ((C₁-C₆)alkyl)₂aminocarbonyl(C₁-C₆)alkyl(cyanoguanidino)(C₁-C₆)alkyl.

33. (Currently Amended) The compound of claim 20 or 21 wherein R⁵ is (C₂-C₉)heterocycloalkylsulfonyl, amino(C₁-C₆)alkylaminosulfonyl, (C₁-C₆)alkylamino(C₁-C₆)alkylaminosulfonyl, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylaminosulfonyl, (C₂-C₉)heteroarylaminosulfonyl, ureido(C₁-C₆)alkylaminosulfonyl, (C₁-C₆)alkylureido(C₁-C₆)alkylaminosulfonyl, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylaminosulfonyl, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylaminosulfonyl, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylaminosulfonyl, (C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkylaminosulfonyl, (C₂-C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylaminosulfonyl, aminocarbonyl(C₁-C₆)alkylaminosulfonyl, cyanoguanidino(C₁-C₆)alkylaminosulfonyl, (C₂-C₉)heteroaryl(C₁-C₆)alkylaminosulfonyl, (C₂-C₉)heterocycloalkylaminosulfonyl, Other preferred compounds of formula I include those wherein R⁵ is halo(C₁-C₆)alkylaminocarbonyl, hydroxy(C₁-C₆)alkylureido, halo(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkoxycarbonyl(C₁-C₆)alkylamino(C₁-C₆)alkyl, hydroxy(C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, halo(C₁-C₆)alkylsulfonylamino(C₁-C₆)alkyl, aminosulfonyl, (C₁-C₆)alkylaminosulfonyl, ((C₁-C₆)alkyl)₂aminosulfonyl, hydroxy(C₁-C₆)alkylaminosulfonyl, and/or (C₁-C₆)alkoxy(C₁-C₆)alkylaminosulfonyl.